




English ▼



BEY65-4

Print to PDF

Buy now

General Information

Extended Product Type:

BEY65-4

Product ID:

1SBN083413R2000

EAN:

3471523130968

Catalog Description:

BEY65-4 Connection Set for Star-Delta Starter

Long Description:

BEY65-4 is a connection set used to easily connect the main poles of the Line, Delta and Star contactors of a star-delta starter for AF40...AF65, AFC40...AFC65 or AFS40...AFS65 contactor ranges.

The BEY connection set is made up of:

- Line contactor / delta contactor: upstream phase-to-phase connect... [Show more](#)

Add to Cart

Read More

Data Sheet	Downloads	Buy now	Categories	Related Links
------------	-----------	---------	------------	---------------

Go To Section:[Ordering](#)[Popular Downloads](#)[Dimensions](#)[Technical](#)[Material Compliance](#)[Certificates and Declarations](#)[Container Information](#)[External Classifications and Standards](#)

Ordering

Minimum Order Quantity:

1 piece

Customs Tariff Number:

85389099

Popular Downloads

Data Sheet, Technical Information:[1SBC100214C0202 - Main catalog Motor protection and control Manual motor starters, contactors and overload relays \(PDF\) - Edition 2024](#)**Instructions and Manuals:**[Operating instruction BEY65-4 and BEY96-4 connection set for AF40...AF96 star-delta starters](#)**Instructions and Manuals (Part 2):**[Contactors and Overload relays guide](#)**CAD Dimensional Drawing:**[Information - 2D and 3D files for CAD systems](#)

Dimensions

Product Net Width:

110 mm

Product Net Depth / Length:

20.2 mm

Product Net Height:

40 mm

Product Net Weight:

0.2 kg

Technical

Standards:

EN 60947-1, EN 60947-4-1, UL 60947-1, UL 60947-4-1, CSA C22.2 No. 60947-1, CSA C22.2 No. 60947-4-1

Rated Operational Voltage:

Main Circuit 690 V AC

Rated Frequency (f):

Main Circuit 50 / 60 Hz

Terminal Type:

Screw Terminals

Suitable For:

AF40
AF52
AF65
AFC40
AFC52
AFC65
AFS40
AFS52
AFS65
AF40B
AF52B
AF65B

Product Name:

Connection Set

Material Compliance**Conflict Minerals Reporting Template (CMRT):**

[CMRT - Conflict Minerals Reporting Template](#)

REACH Declaration:

[REACH - Letter of Confirmation for block contactors, contactor relays, installation contactors, mini contactors, mini contactor relays, thermal overload relays, electronic overload relays and related accessories](#)

RoHS Information:

[RoHS II declaration for block contactors, installation contactors, mini contactors, mini contactor relays, thermal overload relays, electronic overload relays and related accessories](#)

RoHS Status:

Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

WEEE B2C / B2B:

Business To Business

WEEE Category:

5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations**Declaration of Conformity - CE:**

[EU Declaration of Conformity - BEA..., BER..., BEY..., LY..., LH..., LF..., LG..., LD... - Accessories for AF\(C\)\(S\)09...AF96 contactors](#)

Declaration of Conformity - UKCA:

[UK Declaration of Conformity - BEA..., BER..., BEY..., BEP..., LY..., LH..., LF..., LG..., LD... - Accessories for AF09...AF96 contactors](#)

RINA Certificate:

[Rina Certificate for AF09...AF96 contactors, NF contactor relays and accessories, screw and spring terminals](#)

UL Certificate:

[UL-US Certificate of Compliance BER65-4, BER96-4, BEY65-4, BEY96-4 connection sets, LY65-4 connecting strips](#)

[UL-CA Certificate of Compliance BER65-4, BER96-4, BEY65-4, BEY96-4 connection sets, LY65-4 connecting strips](#)

UL Listing Card:

[UL_E312527](#)

Container Information**Package Level 1 Units:**

bag 1 piece

Package Level 1 Width:

150 mm

Package Level 1 Depth / Length:

200 mm

Package Level 1 Height:

20 mm

Package Level 1 Gross Weight:

0.21 kg

Package Level 1 EAN:

3471523130968

Package Level 2 Units:

box 20 piece

Package Level 2 Gross Weight:

4.2 kg

Package Level 3 Units:

840 piece

External Classifications and Standards

ETIM 7:

EC002498 - Accessories for low-voltage switch technology

ETIM 8:

EC002498 - Accessories/spare parts for low-voltage switch technology

ETIM 9:

EC002498 - Accessories/spare parts for low-voltage switch technology

eClass:

V11.0 : 27371392

UNSPSC:

39122221

IDEA Granular Category Code (IGCC):

5219 >> Switch part or accessory

E-Number (Finland):

3707152

E-Number (Sweden):

3210219



PRODUCTS	INDUSTRY SOLUTIONS	INVESTORS	COMPANY
Offerings A-Z	Channel partners	Investor & shareholder resources	Customer events
Services	Buildings and infrastructure	Quarterly results & annual reports	News & media
Where to buy	Industrial automation	Corporate governance	Who we are
	Marine	Calendar, events and publications	Innovation
	Oil & gas		Careers
	Power generation		Sustainability
			Our values
			Supplying



[Provider information](#)

[Privacy Notice](#)

[Cookie settings](#)

© 1995 - 2025