



PRODUCT-DETAILS

T4 P FP 3p EF

T4 P FP 3p EF

| General Information   |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Extended Product Type | T4 P FP 3p EF                                                                     |
| Product ID            | 1SDA054737R1                                                                      |
| EAN                   | 8015644558512                                                                     |
| Catalog Description   | T4 P FP 3p EF                                                                     |
| Long Description      | FIXED PART PLUG-IN FOR C.BREAKER TMAX THREE-POLE WITH EXTENDED FRONT TERMINALS T4 |

| Material Compliance                         |                                                                        |
|---------------------------------------------|------------------------------------------------------------------------|
| REACH Declaration                           | 9AKK108466A1425                                                        |
| RoHS Information                            | 9AKK108466A1424                                                        |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Conflict Minerals Reporting Template (CMRT) | Document availability on demand                                        |
| Toxic Substances Control Act - TSCA         | 9AKK108467A8326                                                        |

Ordering

|                          |               |
|--------------------------|---------------|
| Order Code US and Canada | KT4PFEF       |
| E-Number (Finland)       | 3655557       |
| E-Number (Sweden)        | 3180872       |
| EAN                      | 8015644558512 |
| Minimum Order Quantity   | 1 piece       |
| Customs Tariff Number    | 85389099      |

## Dimensions

|                            |        |
|----------------------------|--------|
| Product Net Width          | 105 mm |
| Product Net Height         | 209 mm |
| Product Net Depth / Length | 50 mm  |
| Product Net Weight         | 1 kg   |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 72 mm         |
| Package Level 1 Height         | 72 mm         |
| Package Level 1 Depth / Length | 306 mm        |
| Package Level 1 Gross Weight   | 1.2 kg        |
| Package Level 1 EAN            | 8015644558512 |

## Additional Information

|                            |                               |
|----------------------------|-------------------------------|
| Product Main Type          | Accessories for Tmax T        |
| Product Name               | Accessory                     |
| Product Type               | Fixed Part                    |
| Suitable For               | T4                            |
| Suitable for Product Class | Moulded Case Circuit Breakers |
| Version                    | P                             |

## Technical

|                                                   |                                            |
|---------------------------------------------------|--------------------------------------------|
| Device                                            | Fixed Part                                 |
| Number of Poles                                   | 3P                                         |
| Rated Operational Voltage                         | 690 V AC<br>750 V DC                       |
| Standards                                         | IEC                                        |
| Sub-type                                          | T4                                         |
| Terminal Connection Type                          | Plug-In Circuit-Breakers<br>Front Extended |
| Test Voltage at Industrial Frequency for 1 Minute | not applicable V                           |

## Certificates and Declarations

|                                   |                                                             |
|-----------------------------------|-------------------------------------------------------------|
| Data Sheet, Technical Information | 1SDC210004D0203                                             |
| Declaration of Conformity - CE    | Refer to the EU Declaration of the relative Circuit Breaker |
| Instructions and Manuals          | 1SDH000436R0811                                             |
| Instructions and Manuals (Part 2) | ITSCE-RH0100001                                             |

| External Classifications and Standards |                                                            |
|----------------------------------------|------------------------------------------------------------|
| ETIM 8                                 | EC002043 - Chassis part power circuit breaker              |
| Object Classification Code             | Q                                                          |
| UNSPSC                                 | 39121100                                                   |
| WEEE Category                          | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass                                 | V11.1 : 27370422                                           |

| Categories                                                                                   |
|----------------------------------------------------------------------------------------------|
| Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T |