T4 P FP 3p HR 1/3



PRODUCT-DETAILS

T4 P FP 3p HR T4 P FP 3p HR

General Information	
Extended Product Type	T4 P FP 3p HR
Product ID	1SDA054739R1
EAN	8015644558604
Catalog Description	T4 P FP 3p HR
Long Description	FIXED PART PLUG-IN FOR C.BREAKER TMAX THREE-POLE WITH REAR TERMINALS HORIZONTAL T4

Material Compliance	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	Document availability on demand
Toxic Substances Control Act - TSCA	9AKK108467A8326

T4 P FP 3p HR 2/3

Ordering	
Order Code US and Canada	KT4PFHR
E-Number (Finland)	3655561
EAN	8015644558604
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions	
Product Net Width	105 mm
Product Net Height	209 mm
Product Net Depth / Length	50 mm
Product Net Weight	1 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	162 mm
Package Level 1 Height	162 mm
Package Level 1 Depth / Length	240 mm
Package Level 1 Gross Weight	1.2 kg
Package Level 1 EAN	8015644558604

Additional Information	
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Fixed Part
Suitable For	T4
Suitable for Product Class	Moulded Case Circuit Breakers
Version	P

Technical	
Device	Fixed Part
Number of Poles	3P
Rated Operational	690 V AC
Voltage	750 V DC
Standards	IEC
Sub-type	T4
Terminal Connection	Plug-In Circuit-Breakers
Туре	Rear flat Horizontal
Test Voltage at Industrial	not applicable V
Frequency for 1 Minute	

Certificates and Declarations

T4 P FP 3p HR 3/3

eClass

Declaration of	Refer to the EU Declaration of the relative Circuit Brea
Conformity - CE	
Instructions and	1SDH000436R0811
Manuals	
Instructions and	ITSCE-RH0100001
Manuals (Part 2)	

External Classifications and Standards	
ETIM 8	EC002043 - Chassis part power circuit breaker
Object Classification Code	Q
UNSPSC	39121100
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Circuit\ Breakers \rightarrow Moulded\ Case\ Circuit\ Breakers \rightarrow Tmax\ T$

V11.1: 27370422