

6AG1688-3XY38-2AX0



SIPLUS HMI design empty front in KP8 format based on 6AV3688-3XY38-3AX0 with conformal coating, -40...+60 °C, start up -25 °C, design empty front in KP8 format for easy mounting of standard 22.5 mm operator controls, ideal for the setup of modular operator panels; also suitable for installation in extension units of the pro devices

List Price	Show prices
Customer Price	Show prices
DataSheet in PDF	Download
Service & Support (Manuals, Certificates, FAQs...)	Download

Image similar

Product

Article Number (Market Facing Number)	6AG1688-3XY38-2AX0
Product Description	SIPLUS HMI design empty front in KP8 format based on 6AV3688-3XY38-3AX0 with conformal coating, -40...+60 °C, start up -25 °C, design empty front in KP8 format for easy mounting of standard 22.5 mm operator controls, ideal for the setup of modular operator panels; also suitable for installation in extension units of the pro devices
Product family	SIPLUS HMI KP8/KP8F/KP32F
Product Lifecycle (PLM)	PM300:Active Product

Price data

Region Specific PriceGroup / Headquarter Price Group	471 / 471
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Materials	None
Metal Factor	None

Delivery information

Export Control Regulations	AL : N / ECCN : N
Estimated dispatch time (Working Days)	55 Day/Days
Net Weight (kg)	0,306 Kg
Packaging Dimension	10,90 x 18,00 x 6,60
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1

Additional Product Information

EAN	4047618063610
UPC	804766321627
Commodity Code	85371098
LKZ_FDB/ CatalogID	A&DSE/SIP ADD
Product Group	4574
Group Code	R151
Country of origin	Germany
Compliance with the substance restrictions according to RoHS directive	Since: 09.06.2015
Product class	B: return restricted, please contact your Siemens partner/contact
WEEE (2012/19/EU) Take-Back Obligation	Yes
REACH Art. 33 Duty to inform according to the current list of candidates	
SCIP number	Not available

Classifications

	Version	Classification
eClass	1200	27-33-02-92
eClass	1400	27-33-02-92
eClass	600	27-24-92-03
eClass	710	27-24-92-03
eClass	800	27-24-92-03
eClass	900	27-33-02-92
eClass	910	27-33-02-92
ETIM	700	EC002584
ETIM	800	EC002584
ETIM	900	EC002584
IDEA	400	3552
UNSPSC	1500	32-15-17-03