



APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 24V 7Ah lead-acid battery, 2-year repair or replace warranty

APCRBC123

#### Overview

Lead time Usually in Stock

#### Main

Product or component type	Replacement battery cartridge	
Battery type	Lead-acid battery	
Provided equipment	All required connectors Battery recycling guide Installation guide Reusable packaging	
Range of product	Replacement Battery Cartridges	

#### **Batteries & Runtime**

Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	24 V
Number of battery replacement quantity	1

### **Physical**

Height	7.6 cm
width	15.2 cm
Depth	20.3 cm
Net weight	5.21 kg
Mounting mode	Not rack-mountable

### **Output**

Battery capacity 7.0 Ah

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.600 cm
Package 1 Width	23.400 cm
Package 1 Length	27.500 cm

Package 1 Weight	5.518 kg
Unit Type of Package 2	P12
Number of Units in Package 2	96
Package 2 Height	128.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	541.728 kg
SCC14	10731304284366

# **Contractual warranty**

Warranty 2 years repair or replace

# **Environmental Data**

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

⊘ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	18
Environmental Disclosure	Product Environmental Profile

### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

# **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes

### **Product datasheet**

### APCRBC123

Image of product / Alternate images

**Alternative** 

