

5in7 small touchscreen display front module Backlight LED Color TFT LCD

HMIS85

Main

Range of product	Harmony SCU
Product or component type	Small touchscreen display HMI
Display size	5.7 inch
Pixel resolution	320 x 240 pixels QVGA

Complementary

Display type	with backlit LED colour TFT LCD	
Touch panel	Analogue	
Backlight lifespan	50000 hours with 65536 colours	
Brightness	16 levels via touch panel	
View angle horiz x vert	60° left 60° right 40° top 60° bottom	
Character font	Korean Chinese (simplified Chinese) ASCII Taiwanese (traditional Chinese) Japanese (ANK, Kanji)	
Height	129.15 mm	
width	163 mm	
Depth	129.4 mm	
Net weight	0.405 kg	

Environment

Product certifications UKCA

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	18.4 cm
Package 1 Width	5.6 cm
Package 1 Length	26.7 cm
Package 1 Weight	660 a

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

⊘ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	143
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
SCIP Number	3d02a16a-b371-402f- abda-886a20922dcb	
REACh Regulation	REACh Declaration	
China RoHS Regulation	China RoHS declaration	

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information

WEEE




The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Take-back

No


Dimensions Drawings

Dimensions of 5.7-inches Display Module




Mounting and Clearance

Mounting Without an Anti-Rotation Tee



Α	B (1)	B (2)
22.50 ^{0/-0.30} mm	1.56 mm	36 mm
(0.88 ^{0/-0.01} in.)	(0.060.23 in.)	(0.110.23 in.)

Mounting With an Anti-Rotation Tee



С	D
	4 ^{0/-0.20} mm (0.15 ^{0/-0.007} in.)

Image of product / Alternate images

Alternative







