

Vijeo Designer 6.2, HMI configuration software team license

VJDTNDTGSV62M

! Discontinued on: 30-Jun-2023

① Discontinued

Main

| Range of product | Vijeo Designer | |
|------------------------------|--|--|
| Product or component type | Configuration software | |
| Format | DVD-ROM | |
| Type of license | Team (10 stations) | |
| Product compatibility | SoMachine V4.1 or higher | |
| Software version | V6.2 | |
| Operating system requirement | Windows 7 Professional 32/64 bit Windows 8.1 Windows 10 Professional 32/64 bit | |
| User language | Spanish Portuguese English French Italian Chinese German | |

Complementary

| Provided equipment | Acrobat Reader |
|-----------------------------|---|
| | Tutorial in flash format |
| | User's documentation in electronic format |
| | Vijeo Designer software |
| Audio video coding standard | JPEG |
| Communication port protocol | Modbus RTU master |
| | ELAU PacDrive |
| | USB |
| | Uni-Telway |
| | MELSEC |
| | Allen-Bradley |
| | UniTE TCP/IP |
| | ROC Plus |
| | Simatic |
| | Ethernet/IP Explicit |
| | Modbus 32-bit extensions |
| | Toyopuc PC3J |
| | Sysmacway |
| | Profibus DP |
| | Modbus TCP master |
| | Modbus Plus |
| | Fipio/Fipway |
| Previous software version | V6.1 |
| Software designation | Vijeo Designer |

| Software function | 8000 variables |
|---------------------|-----------------------------|
| | 2 middle eastern alphabets |
| | 34 western alphabets |
| | 4 asian alphabets |
| | 9999 alarms |
| | Sharing up to 300 variables |
| Range compatibility | Harmony Smart |
| | Harmony GTU |
| | Harmony XBT GH |
| | Harmony XBT GK |
| | Harmony Compact iPC |
| | Harmony STO & STU |
| | Harmony XBT GT |
| | Harmony GTO |
| | Harmony XBT GTW |
| | Harmony iPC |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|-----------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 1.600 cm |
| Package 1 Width | 13.800 cm |
| Package 1 Length | 16.500 cm |
| Package 1 Weight | 110.000 g |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 4 |
| Package 2 Height | 15.000 cm |
| Package 2 Width | 30.000 cm |
| Package 2 Length | 40.000 cm |
| Package 2 Weight | 777.000 g |



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

Use Better

| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
|-----------------------|--|
| China RoHS Regulation | China RoHS declaration |